

## 10. RISK ASSESSMENT FORM

Please note: A risk assessment, method statement and sign off of the stand as fit for purpose will be required before the exhibition opens.

<b>IMPACT</b>	High	Minimum Risk	High Risk	Critical Risk
	Medium	Low Risk	Minimum Risk	High Risk
	Low	Low Risk	Low Risk	Minimum Risk
		Low	Medium	High
<b>PROBABILITY</b>				

<b>Company Name:</b>			
<b>Stand Number(s):</b>			
<b>HAZARD</b>	<b>PERSONS AFFECTED</b>	<b>CONTROLS</b>	<b>RISK RATING (IMPACT x PROBABILITY from matrix above)</b>
1.			
2.			
3.			
4.			
5.			

I declare that my stand has no aspect of significant risk therefore I have not completed & submitted a risk assessment form

Company Name: .....

Stand Number: .....

Name of Signatory: .....

Signature: .....

**Please Note:**

- Only shell scheme exhibitors can declare they have assessed no significant risk
- Stand builders, or the person who sets up the stand, will be required, on completion of the build, to sign off the stand as safe and fit for purpose.

**PLEASE RETURN THIS FORM TO THE Conference Organisers at [info@soa-ics.com](mailto:info@soa-ics.com)  
NO LATER THAN **FRIDAY 11<sup>TH</sup> NOVEMBER 2016****

SOA 2016  
Conference Organisers  
Hampton Medical  
Rapier House, 4-6 Crane Mead, Ware, Hertfordshire SG12 9PW, U.K.

Telephone: +44 (0) 1920 88 5151  
Fax: +44 (0) 1920 88 5102  
E-mail: [info@soa-ics.com](mailto:info@soa-ics.com)